



KHANNA PAPER MILLS LTD						
BRAND – ECO BRITE PLUS						
Product Specifications						
Grade availability by GSM						Tolerance
GSM		G/M ²	50-52	54-56	58-60	± 2.5%
BULK		cc/gm	1.40	1.40	1.38	Min.
COBB		g/m ²	25	25	25	± 1
BRIGHTNESS		% ISO	82	82	82	± 1
OPACITY		%	91	92	93	± 1
BREAKING LENGTH	MD	Meter	4800	5000	5000	± 200
	CD		1900	2100	2100	
TEAR FACTOR	MD	–	50	50	50	Min.
	CD		60	60	60	
BENDTSEN SMOOTHNESS	TOP	ml/min	120-160			Max.
	BOT		160-200			
WAX PICK		No.	10A			Min.

The above specifications have been posted on request of “SHREENATH PAPER PRODUCTS PVT. LTD”

KHANNA PAPER MILL LTD